



co/c

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent Application of

TAMIYA et al.

Patent No. 7,362,433 B2

Date of Patent: April 22, 2008

Application Number: 10/550,004

Filed: September 23, 2005

**FOR: ABSORBANCE READING APPARATUS,
ABSORBANCE READING APPARATUS CONTROL
METHOD, AND ABSORBANCE CALCULATION
PROGRAM (AS AMENDED)**

ATTORNEY DOCKET No. HIRA.0205

**Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

Art Unit: 2877

Examiner: Evans, Fannie L.

Certificate

MAY 09 2008

of Correction

LETTER

Sir:


The below-identified communications are submitted in the above-captioned application or proceeding:

- (1) Request for Certificate of Correction
- (2) Certificate of Correction (Form PTO-1050)

☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication, including fees under 37 C.F.R. § 1.16 and 1.17 or credit any overpayment to **Deposit Account Number 08-1480**. A duplicate copy of this sheet is attached.

Respectfully submitted,

Stanley P. Fisher
Registration Number 24,344


Juan Carlos A. Marquez
Registration Number 34,072

REED SMITH LLP
3110 Fairview Park Drive
Suite 1400
Falls Church, Virginia 22042
(703) 641-4200
May 7, 2008

RECEIVED-USPTO
Patent Publication

MAY 9 2008



Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Examiner: Evans, Fannie L.

MAY 9 2008



Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Examiner: Evans, Fannie L.

REQUEST FOR CERTIFICATE OF CORRECTION

Sir:

The Commissioner is hereby respectfully requested to approve and issue a Certificate of Correction in accordance with the attached Certificate of Correction. The Commissioner is directed to correct Items number (54) Title, to the face of the U.S. Patent No. 7,362,433 B2 issued April 22, 2008. Information regarding Item (54) was transmitted in Requests to Correct Filing Receipt dated February 4, 2008 and April 10, 2008. The Title data was incorrectly stated on the Filing Receipts dated July 10, 2006 and March 14, 2008. The Title data was also incorrectly stated on the Notice of Allowance dated January 29, 2008. Title (Item 54) was incorrectly recorded on the issued Patent No. 7,362,433 B2. This appears to be an error on the part of the U.S. Patent and Trademark Office, since information under Item number (54) was incorrectly printed on the face of the patent when issued.

On the face of the patent issued, under **Item (54) Title**, it should read:

Absorbance Reading Apparatus, Absorbance Reading Control Method, and Absorbance Calculation Program


RECEIVED-USPTO
Patent Publication

MAY 9 2008

The Commissioner is hereby respectfully requested to grant a Certificate of Correction in accordance with the attached Certificate of Correction. Since the corrections being requested appear to have resulted from error on the part of the U.S. Patent and Trademark Office, no fee is required. However, the Commissioner is hereby authorized to charge payment of any fees associated with this communication, including fees under 37 C.F.R. § 1.16 and 1.17 or credit any overpayment to **Deposit Account Number 08-1480**.

Respectfully submitted,

Stanley P. Fisher
Registration Number 24,344


Juan Carlos A. Marquez
Registration Number 34,072

REED SMITH LLP
3110 Fairview Park Drive
Suite 1400
Falls Church, Virginia 22042
(703) 641-4200
May 7, 2008

RECEIVED-USPTO
Patent Publication

MAY 9 2008

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,362,433 B2

DATED : April 22, 2008

INVENTOR(S) : TAMIYA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the face of the patent, Under Item (54) please **DELETE**:

Absorbance Reader Apparatus, Absorbance Reader Control Method, and
Absorbance Calculation Program

and **ADD**:

Absorbance Reading Apparatus, Absorbance Reading Control Method, and
Absorbance Calculation Program

MAILING ADDRESS OF SENDER:

PATENT NO. 7,362,433 B2
No. of additional copies ____



Stanley P. Fisher, Esq.
Reed Smith LLP
Suite 1400
3110 Fairview Park Drive
Falls Church, VA 22042

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option

RECEIVED-USPTO
Patent Publication

MAY 9 2008